Author Index of Volume 172

Abras, A., 113
Agarwala, U. C., 13
Ainscough, E. W., 185
Alcock, N. W., 129
Aoki, K., 253
Aslanidis, P., 247
Azumi, T., 233

Baker, E. N., 185
Barigelletti, F., 181
Bencini, A., 203
Benedix, R., 109
Benelli, C., 137
Benzi, P., 73
Beraldo, H., 113
Biagini Cingi, M., 73
Bianchi, A., 203
Bitterwolf, T. S., 59
Blasse, G., 45, 93
Blum, J., 191
Borges, R. H. U., 113
Brixner, L. H., 45
Brodie, A. M., 185

Cameron, R., 211
Caneschi, A., 137
Castiglioni, M., 73
Cavaleiro, A. M. V. S. V., 25
Chacko, K. K., 253
Cheer, C. J., 247
Cho-Chun Hu, 151
Chuen-Ying Liu, 151
Ciano, M., 181
Cotton, F. A., 135
Cox, P. J., 225
Cresswell, R. J., 185
Cromer, D. T., 165
Cunningham, D., 79
Czuchajowska, J., 135

da Rocha, M. A., 113
Das, M. K., 35
de Cola, L., 181
Doidge-Harrison, S. M. S. V., 225

Edo, T., 83
Eisen, M., 191

Falvello, L. R., 135
Fantini, E. O., 113
Fanwick, P. E., 65
Faucher, J.-P., 147
Faus, J., 203
Ferry, J., 79
Firmin, D. A., 211

Gallagher, J., 79
Garcia, M. P., 181
García-España, E., 203
Gatteschi, D., 137
Gil, V. M. S., 25
Gillard, R. D., 25
Gipson, S. L., 41
Goodson, P. A., 49
Grossbruchhaus, V., 141
Gutiérrez, M. D., 253

Haasnoot, J. G., 19
Hage, R., 19
Hatfield, W. E., 241
Hazenkamp, M. F., 93
Hennig, H., 109
Hitchcock, P. B., 97
Hodgson, D. J., 49
Howie, R. A., 225
Huan-Tsung Chang, 151
Huckabee, W. M., 41

Ikeyama, T., 233
Inomata, Y., 105
Ishizu, K., 83
Ito, T., 233

Jacobsen, R. A., 3
Jensen, W. P., 3
Jurgis, S., 191
Ju-Sheng Qi, 65

Kahn, O., 211
Karagiannidis, P., 247
Karthikeyan, S., 165
Keng-Yu Shih, 65
Kokkou, S., 247

Labarre, J.-F., 147
Lobana, T. S., 221
López, R., 253

Maiti, P. K., 35
Mallah, T., 211
Marcelino, V., 203
Mbogo, S. A., 221
McArdle, P., 79
McWhinnie, W. R., 221
Melandri, M. C., 137
Michelsen, K., 49
Mikami, K., 83
Mishra, A., 13
Musco, A., 1

Nieke, C., 109
Nowell, I. W., 225
Nuñez, L., 173

O'Connor, C. J., 211
Ohya-Nishiguchi, H., 83
Okafor, E. C., 97
Oro, L. A., 181

Padilla, J., 241
Paine, R. T., 165
Pandey, D. S., 13
Panneerselvam, K., 253
Pant, A. K., 211
Parkin, I. P., 159
Pedrosa de Jesus, J. D., 25
Perkins, C. M., 119
Pontellini, R., 1

Quilano, E. R., 211

Raghuveer, K. S., 59
Randall, A. P., 225
Ranford, J. D., 185
Reedijk, J., 19
Rehder, D., 141
Rey, P., 137
Rogers, R. D., 173
Romero, M. A., 253
Rose, N. J., 119
Ryan, R. R., 165

Sabbatini, N., 93
Salas, J. M., 253
Samotus, A., 129
Sasaki, Y., 233
Schuman, H., 191
Slawin, A. M. Z., 159
Smith, J. D., 97
Sommerer, S., 3
Stenkamp, R. E., 119
Stevens, E. D., 211
Sugeta, M., 131
Szklarzewicz, J., 129

Tajima, K., 83
Takeuchi, T., 105
Terzoni, G., 1
Tiripicchio, A., 73
Tosi, L., 113

Ungaro, R., 93
Uzoukwu, A. B., 97

Volpe, P., 73

Walton, R. A., 65
Wardell, J. L., 225
Waters, J. M., 185
Williams, D. J., 159
Williams, P. A., 25
Woollins, J. D., 159

Xeujun Feng, 135

Yamaguchi, H., 105
Yamaguchi, T., 233
Yamase, T., 131
Yamazaki, H., 253
Yau Yi Lau, 41
Yoshino, M., 83

Zanin, B., 147

Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 172

Acid complexes
  effects of ligand and metal on reductive elimination of dihydrogen by dinuclear complexes of Cr and Mn, 59
Amine complexes
  NDDO/CI calculations of electronic spectra of Co(III) ammine complexes, 109
  synthesis and characterization of pseudohaloborane adducts of some heteroaromatic N-bases, 35
Amino acid complexes
  Mo(VI) complexation by amino acids; species in aqueous solutions of (*R*)-cysteine and Na molybdate or tungstate, 25
  structure of cobalt methylmalonate complexes, $CoClN_4O_7C_{10}H_{28}$ and $CoCl_2N_4O_{5.5}C_{11}H_{28}$, models for metal complexes of γ-carboxyglutamic acid, 119

Bidentate ligand complexes
  structural studies of uranyl complexes of diphenyldimethylaminosulfonylmethylphosphine oxide and diisopropyl-tolylsulfinylmethyl phosphonate ligands, 165
Binuclear complexes
  crystal and molecular structure of $[AsPh_4]^+[Re_2Cl_7Bu^n{}_2Ph]^-$, 79
  effects of ligand and metal on reductive elimination of dihydrogen by dinuclear complexes of Cr and Mn, 59
  preparation and characterisation of $[(PPh_2Me)_2Pt(\mu\text{-}PPhH)_2Pt(PPh_2Me)_2][Cl]_4\cdot\frac{3}{2}CH_2Cl_2$ and $[(PPh_2Me)_2Pt(\mu\text{-}PPhH)Pt(PPh_2Me)_2][Cl]_2[PhPO_2OH]_2[PhPO(OH)_2]_2$, 159
  reactions of dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$) with tertiary phosphine and phosphite ligands; isolation and characterization of 1:1 adducts $Re_2X_4(dppm)_2(PR_3)$ and $Re_2Cl_4(dppm)_2[P(OR)_3]$ and crystal structure of $[Re_2Cl_3(dppm)_2(NCEt)_2]PF_6$, 65
  synthesis and characterization of mixed-valent complex ion di-μ-oxobis(1,4,8,11-tetraazacyclotetradecane)dimanganese(III,IV), $[(cyclam)MnO]_2$, 49
  synthesis, molecular structure and magnetic properties of $[Cu_2L(\mu\text{-}OH)CH_3CN]_2[Cu_6I_{10}]$ and $[Cu_2L(\mu\text{-}Br)]Br_2$, where L = 2,6-bis(*N*,*N'*-dimethylethyleneamineformimidoyl)-4-methylphenolato, 211
Borane complexes
  synthesis and characterization of pseudohaloborane adducts of some heteroaromatic N-bases, 35
Boron complexes
  synthesis and characterization of pseudohaloborane adducts of some heteroaromatic N-bases, 35

Cadmium complexes
  interaction of Zn(II) and Cd(II) with large polyazacycloalkanes in dmso/H_2O (80:20 vol./vol.); potentiometric study, 203
Carbonitrile complexes
  reactions of $[RuH(CO)Cl(EPh_3)_3]$ (E = PPh_3, $AsPh_3$) with 1-piperidinecarbonitrile and 1,4-piperazinedicarbonitrile in presence of anion (BF_4^-, PF_6^-, BPH_4^- and $CH_3C_6H_4SO_3^-$), 13
Carbonyl complexes
  effects of ligand and metal on reductive elimination of dihydrogen by dinuclear complexes of Cr and Mn, 59
  ligand effects on electrooxidation of Mo halide complexes of type $CpMo(CO)_{3-n}(PR_3)_nX$ and $ChMo(CO)_2X$, 41
  nuclear recoil synthesis of metalloorganic compounds and crystal structure of $Co_3(CO)_9(C_6H_7)$, 73
  reactions of $[RuH(CO)Cl(EPh_3)_3]$ (E = PPh_3, $AsPh_3$) with 1-piperidinecarbonitrile and 1,4-piperazinedicarbonitrile in presence of anion (BF_4^-, PF_6^-, BPH_4^- and $CH_3C_6H_4SO_3^-$), 13
  synthesis and structural determination of two unusual dirhodium complexes having thiolato and carbonyl bridging ligands, 191
Catalysis
  photoreduction of CO_2 to CH_4 in water using dititanodecatungstophosphate as multielectron transfer catalyst, 131
Chelate complexes
  five-coordinate, high-spin Cr(III) complex; Cr(tmtaa)Cl, 135
  structural studies of uranyl complexes of diphenyldimethylaminosulfonylmethyl phosphine oxide and diisopropyl-tolylsulfinylmethyl phosphonate ligands, 165
  structure and properties of new pyridyltriazine low-spin Fe(II) complexes, 19
  synthesis, properties and crystal and molecular structure of isothiocyanato[*N*,*N*-bis(2-hydroxyethyl)glycinato]Cu(II) monohydrate, 105
Chromium complexes
  effects of ligand and metal on reductive elimination of dihydrogen by dinuclear complexes of Cr and Mn, 59
  five-coordinate, high-spin Cr(III) complex; Cr(tmtaa)Cl, 135
  metal promoted hydration of di-2-pyridyl ketone; UV–Vis spectra of Cu(II) and Cr(III) in aqueous solution with di-2-pyridyl ketone and X-ray structure analysis of bis-2,2',*N*,*N'*-bipyridyl ketone hydrate Cr(III) chloride and Ru, 3
Cluster complexes
  synthesis and properties of open clusters $(L_nM)_3\mu_3\text{-}E$ ($L_nM = \eta^5$-CpMo/W$(CO)_3$, $Mn(CO)_5$; E = P, As, Sb, Bi and V), 141

Elsevier Sequoia/Printed in Switzerland

Cobalt complexes
NDDO/CI calculations of electronic spectra of Co(III) ammine complexes, 109
nuclear recoil synthesis of metalloorganic compounds and crystal structure of $Co_3(CO)_9(C_6H_7)$, 73
structure of cobalt methylmalonate complexes, $CoClN_4O_7C_{10}H_{28}$ and $CoCl_2N_4O_{5.5}C_{11}H_{28}$, models for metal complexes of γ-carboxyglutamic acid, 119
Complexation
complexation reactions in heterogeneous system, 151
Copper complexes
characterization of both coordinated and non-coordinated saccharinate ion; syntheses and crystal structures of aqua(2-formylpyridine thiosemicarbazonato)(saccharinato-*N*)Cu(II) hemihydrate and 2,2′-bipyridyl-(2-formylpyridine thiosemicarbazonato)Cu(II) saccharinate dihydrate, 185
reactivity of 2-(2′-pyridyl)phenyl(*p*-ethoxyphenyl)-Te(II) towards Cu(I) and Cu(II) halides, 221
synthesis, molecular structure and magnetic properties of $[Cu_2L(\mu\text{-}OH)CH_3CN]_2[Cu_6I_{10}]$ and $[Cu_2L(\mu\text{-}Br)]Br_2$, where L = 2,6-bis(*N*,*N*′-dimethylethylenamineformimidoyl)-4-methylphenolato, 211
synthesis, properties and crystal and molecular structure of isothiocyanato[*N*,*N*-bis(2-hydroxyethyl)glycinato]Cu(II) monohydrate, 105
Crystal structure(s)
of $[Ag(PPh_3)_2(py2SH)Cl]$, 247
of aqua(2-formylpyridine thiosemicarbazonato)(saccharinato-*N*)Cu(II) hemihydrate and 2,2′-bipyridyl-(2-formylpyridine thiosemicarbazonato)Cu(II) saccharinate dihydrate, 185
of $[AsPh_4]^+[Re_2Cl_7Bu^n{}_2Ph]^-$, 79
of bis-2,2′,*N*,*N*′-bipyridyl ketone hydrate Cr(III) chloride and Ru, 3
of bis-oxobis(1-phenyl-3-methyl-4-acetylpyrazol-5-onato)aquouranium(VI) and bis-oxobis(1-phenyl-3-methyl-4-benzoylpyrazol-5-onato)(propanol)U(VI), 97
of [(*p*-chlorophenylthio)methyl]tricyclohexylstannane, 225
of $CoClN_4O_7C_{10}H_{28}$ and $CoCl_2N_4O_{5.5}C_{11}H_{28}$, 119
of $Co_3(CO)_9(C_6H_7)$, 73
of Cr(tmtaa)Cl, 135
of $[Cu_2L(\mu\text{-}OH)CH_3CN]_2[Cu_6I_{10}]$ and $[Cu_2L(\mu\text{-}Br)]Br_2$, where L = 2,6-bis(*N*,*N*′-dimethylethylenamineformimidoyl)-4-methylphenolato, 211
of 4,6-diamino-2-methylthiopyrimidinium hemitetrachlorozincate(II), 253
of di-μ-oxobis(1,4,8,11-tetraazacyclotetradecane)dimanganese(III,IV), $[(cyclam)MnO]_2$, 49
of diphenyl-dimethylaminosulfonylmethyl phosphine oxide and diisopropyl-tolylsulfinylmethyl phosphonate ligands, 165
of isothiocyanato[*N*,*N*-bis(2-hydroxyethyl)glycinato]Cu(II) monohydrate, 105
modification of lanthanide ion coordination sphere via electrocrystallization of hydrated lanthanide chloride complexes of 12-crown-4, 173
of $[(PPh_2Me)_2Pt(\mu\text{-}PPhH)_2Pt(PPh_2Me)_2]\text{-}[Cl]_4\cdot\frac{1}{2}CH_2Cl_2$ and $[(PPh_2Me)_2Pt\text{-}(\mu\text{-}PPhH)Pt(PPh_2Me)_2][Cl]_2\text{-}[PhPO_2OH]_2[PhPO(OH_2)]_2$, 159
of $[Re_2Cl_3(dppm)_2(NCEt)_2]PF_6$, 65
of two unusual dirhodium complexes having thiolato and carbonyl bridging ligands, 191
Cyanide complexes
photochemistry of $[M(CN)_8]^{4-}$–2,2′-bipyridyl system; new complex ion $[MO(bpy)(CN)_3]^-$ (M = Mo, W), 129
Cyclopentadienyl complexes
ligand effects on electrooxidation of Mo halide complexes of type $CpMo(CO)_{3-n}(PR_3)_nX$ and $ChMo(CO)_2X$, 41

Diene complexes
spectroscopic and electrochemical properties of Rh(I) complexes containing diene (norbornadiene or cyclooctadiene) and diimine (bipyrimidine) type ligands, 181
Diimine complexes
spectroscopic and electrochemical properties of Rh(I) complexes containing diene (norbornadiene or cyclooctadiene) and diimine (bipyrimidine) type ligands, 181
Dinuclear complexes
solid state dehydration condensation of K tetrakis(μ-pyrophosphito-*P*,*P*′)diplatinate(II) accompanied by red shift of luminescence peak, 233
synthesis and structural determination of two unusual dirhodium complexes having thiolato and carbonyl bridging ligands, 191
Dioxygenase complexes
important role of Fe(III)TPP–oxygen–skatole ternary complex in tryptophan dioxygenase model reaction system, 83

Electrochemistry
interaction of Zn(II) and Cd(II) with large polyazacycloalkanes in dmso/H_2O (80:20 vol./vol.); potentiometric study, 203
ligand effects on electrooxidation of Mo halide complexes of type $CpMo(CO)_{3-n}(PR_3)_nX$ and $ChMo(CO)_2X$, 41
spectroscopic and electrochemical properties of Rh(I) complexes containing diene (norbornadiene or cyclooctadiene) and diimine (bipyrimidine) type ligands, 181
structure and properties of new pyridyltriazine low-spin Fe(II) complexes, 19
Electronic structure(s)
of Co(III) ammine complexes, 109
of new pyridyltriazine low-spin Fe(II) complexes, 19
Europium complexes
solid state luminescence of encapsulation complex of Eu^{3+} in *p*-t-butyl-calix[4]arene tetra-amide, 93

Heterocyclic ligand complexes
ground *S* = 4 state in Mn(II)–nitronyl nitroxide ferrimagnetic ring, 137
pyrazolonato complexes of U; crystal structures of bis-oxobis(1-phenyl-3-methyl-4-acetylpyrazol-5-onato)aquouranium(VI) and bis-oxobis(1-phenyl-3-methyl-4-benzoylpyrazol-5-onato)(propanol)U(VI), 97

structure and properties of new pyridyltriazine low-spin Fe(II) complexes, 19
Hydride complexes
MgH_2 as reducing agent in presence of transition metal halides; reduction of ketones and aldehydes, 1
Hydrido complexes
reactions of $[RuH(CO)Cl(EPh_3)_3]$ (E = PPh_3, $AsPh_3$) with 1-piperidinecarbonitrile and 1,4-piperazinedicarbonitrile in presence of anion (BF_4^-, PF_6^-, BPh_4^- and $CH_3C_6H_4SO_3^-$), 13

Iron complexes
important role of Fe(III)TPP–oxygen–skatole ternary complex in tryptophan dioxygenase model reaction system, 83
spectroscopic studies of metal complexes containing π-delocalized S ligands; Mössbauer and kinetic studies of Fe(II) and Fe(III) complexes of antitumor agent 2-formylpyridine thiosemicarbazone, 113
structure and properties of new pyridyltriazine low-spin Fe(II) complexes, 19

Ketone complexes
metal promoted hydration of di-2-pyridyl ketone; UV–Vis spectra of Cu(II) and Cr(III) in aqueous solution with di-2-pyridyl ketone and X-ray structure analysis of bis-2,2′,*N*,*N*′-bipyridyl ketone hydrate Cr(III) chloride and Ru, 3
Kinetics and mechanism
complexation reactions in heterogeneous system, 151
spectroscopic studies of metal complexes containing π-delocalized S ligands; Mössbauer and kinetic studies of Fe(II) and Fe(III) complexes of antitumor agent 2-formylpyridine thiosemicarbazone, 113

Lanthanide complexes
Gd^{3+} luminescence in lanthanide hydroxycarbonate ($LnOHCO_3$) and hydrated carbonate ($Ln_2(CO_3)_3 \cdot 6H_2O$), 45
σ- and π-interactions of pyrrolic ligand of sandwich-like lanthanide phthalocyanines determined from magnetic susceptibility and ligand-field theory, 241
modification of lanthanide ion coordination sphere via electrocrystallization of hydrated lanthanide chloride complexes of 12-crown-4, 173
Luminescence
Gd^{3+} luminescence in lanthanide hydroxycarbonate ($LnOHCO_3$) and hydrated carbonate ($Ln_2(CO_3)_3 \cdot 6H_2O$), 45
solid state dehydration condensation of K tetrakis(μ-pyrophosphito-*P*,*P*′)diplatinate(II) accompanied by red shift of luminescence peak, 233
solid state luminescence of encapsulation complex of Eu^{3+} in *p*-t-butyl-calix[4]arene tetra-amide, 93

Macrocyclic ligand complexes
interaction of Zn(II) and Cd(II) with large polyazacycloalkanes in dmso/H_2O (80:20 vol./vol.); potentiometric study, 203
modification of lanthanide ion coordination sphere via electrocrystallization of hydrated lanthanide chloride complexes of 12-crown-4, 173
synthesis and characterization of mixed-valent complex ion di-μ-oxobis(1,4,8,11-tetraazacyclotetradecane)dimanganese(III,IV), $[(cyclam)MnO]_2$, 49
Macrocyclic ligand compounds
unsymmetrical monocyclophosphazenic paddlewheel-shaped host species, 147
Magnesium complexes
MgH_2 as reducing agent in presence of transition metal halides; reduction of ketones and aldehydes, 1
Magnetism
ground $S = 4$ state in Mn(II)–nitronyl nitroxide ferrimagnetic ring, 137
σ- and π-interactions of pyrrolic ligand of sandwich-like lanthanide phthalocyanines determined from magnetic susceptibility and ligand-field theory, 241
synthesis, molecular structure and magnetic properties of $[Cu_2L(\mu\text{-}OH)CH_3CN]_2[Cu_6I_{10}]$ and $[Cu_2L(\mu\text{-}Br)]Br_2$, where L = 2,6-bis(*N*,*N*′-dimethylethylenamineformimidoyl)-4-methylphenolato, 211
Manganese complexes
effects of ligand and metal on reductive elimination of dihydrogen by dinuclear complexes of Cr and Mn, 59
ground $S = 4$ state in Mn(II)–nitronyl nitroxide ferrimagnetic ring, 137
synthesis and characterization of mixed-valent complex ion di-μ-oxobis(1,4,8,11-tetraazacyclotetradecane)dimanganese(III,IV), $[(cyclam)MnO]_2$, 49
synthesis and properties of open clusters $(L_nM)_3\mu_3$-E ($L_nM = \eta^5$-CpMo/W(CO_3), Mn$(CO)_5$; E = P, As, Sb, Bi and V), 141
Mercury complexes
Zn(II) and Hg(II) complexes of 4,6-diamino-2-thiopyrimidine and 4,6-diamino-2-methylthiopyrimidine; crystal structure of 4,6-diamino-2-methylthiopyrimidinium hemitetrachlorozincate(II), 253
Metal complexes
complexation reactions in heterogeneous system, 151
Molybdenum complexes
ligand effects on electrooxidation of Mo halide complexes of type $CpMo(CO)_{3-n}(PR_3)_nX$ and $ChMo(CO)_2X$, 41
Mo(VI) complexation by amino acids; species in aqueous solutions of (*R*)-cysteine and Na molybdate or tungstate, 25
photochemistry of $[M(CN)_8]^{4-}$–2,2′-bipyridyl system; new complex ion $[MO(bpy)(CN)_3]^-$ (M = Mo, W), 129
synthesis and properties of open clusters $(L_nM)_3\mu_3$-E ($L_nM = \eta^5$-CpMo/W$(CO)_3$, Mn$(CO)_5$; E = P, As, Sb, Bi and V), 141

Mössbauer spectroscopy
spectroscopic studies of metal complexes containing π-delocalized S ligands; Mössbauer and kinetic studies of Fe(II) and Fe(III) complexes of antitumor agent 2-formylpyridine thiosemicarbazone, 113

Organotin complexes
crystal and molecular structure and reactions of [(*p*-chlorophenylthio)methyl]tricyclohexylstannane, 225
Oxo complexes
pyrazolonato complexes of U; crystal structures of bis-oxobis(1-phenyl-3-methyl-4-acetylpyrazol-5-onato)aquouranium(VI) and bis-oxobis(1-phenyl-3-methyl-4-benzoylpyrazol-5-onato)(propanol)U(VI), 97

Phosphazene compounds
unsymmetrical monocyclophosphazenic paddlewheel-shaped host species, 147
Phosphorus ligand complexes
reactions of dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$) with tertiary phosphine and phosphite ligands; isolation and characterization of 1:1 adducts $Re_2X_4(dppm)_2(PR_3)$ and $Re_2Cl_4(dppm)_2[P(OR)_3]$ and crystal structure of $[Re_2Cl_3(dppm)_2(NCEt)_2]PF_6$, 65
Photochemistry
of $[M(CN)_8]^{4-}$–2,2′-bipyridyl system; new complex ion $[MO(bpy)(CN)_3]^-$ (M = Mo, W), 129
Photoreduction
of CO_2 to CH_4 in water using dititanodecatungstophosphate as multielectron transfer catalyst, 131
Phthalocyanine complexes
σ- and π-interactions of pyrrolic ligand of sandwich-like lanthanide phthalocyanines determined from magnetic susceptibility and ligand-field theory, 241
Platinum complexes
preparation and characterisation of $[(PPh_2Me)_2Pt(\mu\text{-}PPhH)_2Pt(PPh_2Me)_2][Cl]_4\cdot\frac{3}{2}CH_2Cl_2$ and $[(PPh_2Me)_2Pt(\mu\text{-}PPhH)Pt(PPh_2Me)_2]\text{-}[Cl]_2[PhPO_2OH]_2.[PhPO(OH)_2]_2$, 159
solid state dehydration condensation of K tetrakis(μ-pyrophosphito-*P*,*P*′)diplatinate(II) accompanied by red shift of luminescence peak, 233
Polydentate ligand complexes
five-coordinate, high-spinn Cr(III) complex; Cr(tmtaa)Cl, 135
synthesis, molecular structure and magnetic properties of $[Cu_2L(\mu\text{-}OH)CH_3CN]_2[Cu_6I_{10}]$ and $[Cu_2L(\mu\text{-}Br)]Br_2$, where L = 2,6-bis(*N*,*N*′-dimethylethylenamineformimidoyl)-4-methylphenolato, 211
synthesis, properties and crystal and molecular structure of isothiocyanato[*N*,*N*-bis(2-hydroxyethyl)glycinato]Cu(II) monohydrate, 105
Polyoxo complexes
photoreduction of CO_2 to CH_4 in water using dititanodecatungstophosphate as multielectron transfer catalyst, 131
Porphyrin complexes
important role of Fe(III)TPP–oxygen–skatole ternary complex in tryptophan dioxygenase model reaction system, 83

Reduction
MgH_2 as reducing agent in presence of transition metal halides; reduction of ketones and aldehydes, 1
Resin complexes
complexation reactions in heterogeneous system, 151
Rhenium complexes
crystal and molecular structure of $[AsPh_4]^+[Re_2Cl_7Bu^n{}_2Ph]^-$, 79
reactions of dirhenium(II) complexes $Re_2X_4(dppm)_2$ (X = Cl or Br; dppm = $Ph_2PCH_2PPh_2$) with tertiary phosphine and phosphite ligands; isolation and characterization of 1:1 adducts $Re_2X_4(dppm)_2(PR_3)$ and $Re_2Cl_4(dppm)_2[P(OR)_3]$ and crystal structure of $[Re_2Cl_3(dppm)_2(NCEt)_2]PF_6$, 65
Rhodium complexes
spectroscopic and electrochemical properties of Rh(I) complexes containing diene (norbornadiene or cyclooctadiene) and diimine (bipyrimidine) type ligands, 181
synthesis and structural determination of two unusual dirhodium complexes having thiolato and carbonyl bridging ligands, 191
Ruthenium complexes
metal promoted hydration of di-2-pyridyl ketone; UV–Vis spectra of Cu(II) and Cr(III) in aqueous solution with di-2-pyridyl ketone and X-ray structure analysis of bis-2,2′,*N*,*N*′-bipyridyl ketone hydrate Cr(III) chloride and Ru, 3
reactions of $[RuH(CO)Cl(EPh_3)_3]$ (E = PPh_3, $AsPh_3$) with 1-piperidinecarbonitrile and 1,4-piperazinedicarbonitrile in presence of anion (BF_4^-, PF_6^-, BPh_4^- and $CH_3C_6H_4SO_3^-$), 13

Saccharin complexes
characterization of both coordinated and non-coordinated saccharinate ion; syntheses and crystal structures of aqua(2-formylpyridine thiosemicarbazonato)(saccharinato-*N*)Cu(II) hemihydrate and 2,2′-bipyridyl-(2-formylpyridine thiosemicarbazonato)Cu(II) saccharinate dihydrate, 185
Silver complexes
Ag(I) complexes with heterocyclic thiones and triphenylphosphine as ligands; crystal structure of Ag(I) pyridine-2-thione bis(triphenylphosphine) chloride $[Ag(PPh_3)_2(py2SH)Cl]$, 247
Sulfur ligand complexes
Ag(I) complexes with heterocyclic thiones and triphenylphosphine as ligands; crystal structure of Ag(I) pyridine-2-thione bis(triphenylphosphine chloride $[Ag(PPh_3)_2(py2SH)Cl]$, 247
spectroscopic studies of metal complexes containing π-delocalized S ligands; Mössbauer and kinetic studies of Fe(II) and Fe(III) complexes of antitumor agent 2-formylpyridine thiosemicarbazone, 113

Tellurium complexes
reactivity of 2-(2′-pyridyl)phenyl(*p*-ethoxyphenyl)Te(II) towards Cu(I) and Cu(II) halides, 221
Thiolato complexes
synthesis and structural determination of two unusual dirhodium complexes having thiolato and carbonyl bridging ligands, 191
Thiopyrimidine complexes
Zn(II) and Hg(II) complexes of 4,6-diamino-2-thiopyrimidine and 4,6-diamino-2-methylthiopyrimidine; crystal structure of 4,6-diamino-2-methylthiopyridinium hemitetrachlorozincate(II), 253
Tin complexes
crystal and molecular structure and reactions of [(*p*-chlorophenylthio)methyl]tricyclohexylstannane, 225
Titanium complexes
photoreduction of CO_2 to CH_4 in water using dititanodecatungstophosphate as multielectron transfer catalyst, 131
Tungsten complexes
photochemistry of $[M(CN)_8]^{4-}$–2,2′-bipyridyl system; new complex ion $[MO(bpy)(CN)_3]^-$ (M = Mo, W), 129
photoreduction of CO_2 to CH_4 in water using dititanodecatungstophosphate as multielectron transfer catalyst, 131
synthesis and properties of open clusters $(L_nM)_3\mu_3$-E ($L_nM = \eta^5$-CpMo/W$(CO)_3$, Mn$(CO)_5$; E = P, As, Sb, Bi and V), 141
Uranium complexes
pyrazolonato complexes of U; crystal structures of bis-oxobis(1-phenyl-3-methyl-4-acetylpyrazol-5-onato)aquouranium(VI) and bis-oxobis(1-phenyl-3-methyl-4-benzoylpyrazol-5-onato)(propanol)U(VI), 97
Uranyl complexes
structural studies of uranyl complexes of diphenyldimethylaminosulfonylmethyl phosphine oxide and diisopropyl-tolylsulfinylmethyl phosphonate ligands, 165
Zinc complexes
interaction of Zn(II) and Cd(II) with large polyazacycloalkanes in dmso/H_2O (80:20 vol./vol.); potentiometric study, 203
Zn(II) and Hg(II) complexes of 4,6-diamino-2-thiopyrimidine and 4,6-diamino-2-methylthiopyrimidine; crystal structure of 4,6-diamino-2-methylthiopyrimidinium hemitetrachlorozincate(II), 253